Remarks/Arguments:

Reconsideration of the application is requested.

Claims 2-5, 7, 10, and 12 remain in the application. Claims 10 and 12 have been amended. Claims 1, 8, 9, 11, 13, and 14 were previously cancelled from the application.

In item 2 on page 2 of the above-noted Office action, claims 2, 3, 5, 7, 10, and 12 have been rejected as being obvious over Konrad et al. (U.S. Patent Application Publication No. 2002/0014171 Al) (hereinafter "Konrad") in view of Dini (U.S. Patent No. 3,964,386) under 35 U.S.C. § 103.

The rejection has been noted and the claims have been amended in an effort to even more clearly define the invention of the instant application. The claims are patentable for the reasons set forth below. Support for the changes is found on page 17, lines 6-20 of the specification.

Before discussing the prior art in detail, it is believed that a brief review of the invention as claimed, would be helpful.

Claims 11 and 12 call for, inter alia:

a printing form cylinder, a zone-less inking unit including an ink-metering device having a single metering element operatively engaging with a roller, the roller being one of an ink form roller and a roller operatively engaging with an ink form roller, the roller rolling on the printing form cylinder during a printing operation ... and an oscillation device assigned to said single metering element.

As will be seen from the following remarks, applicant respectfully disagrees with the Examiner's allegation on page 2 of the Office action that Konrad discloses "an ink metering device having a single metering element (1, Fig. 5)."

A printing machine typically has a printing form cylinder, which is also called a form cylinder or plate cylinder and which carries the printing form or printing plate. Common English terms are "plate cylinder", "form cylinder" or "printing form cylinder". The instant application discloses that the printing form cylinder is designated with reference numeral "4" (page 17, line 10). Konrad discloses that the "form cylinder" is designated with reference numeral "3" (Fig. 5 and paragraph [0046]).

Furthermore, printing machines typically have an ink application roller, which is the roller rolling onto the printing form cylinder or onto the printing plate mounted on the printing form cylinder. Common English terms for the roller are "ink application roller", "application roll", "ink form roller" and "form roller". The instant application discloses that the ink application roller is designated with reference numeral "7" (page 17, lines 15-17). Konrad discloses that the ink application roller is designated with reference numeral "1" (Fig. 5 and paragraph [0046]).

In accordance with claims 10 and 12 of the instant application, the metering element and the ink application roller are two different elements.

Accordingly, it is respectfully noted that the Examiner incorrectly identifies the ink application roller "1" of Konrad with the "metering element" of the instant application. Therefore, it is respectfully noted that the Examiner's allegation on page 2 of the Office action that Konrad discloses "an ink metering device having a single metering element (1, Fig. 5)", is not correct. As explained above, they are two different elements, element "1" of Konrad is not a metering element.

Furthermore, as will be seen below, applicant respectfully disagrees with the Examiner's allegation on page 2 of the Office action that Konrad discloses "an ink form roller ("form cylinder 3,")". More specifically, Konrad discloses that the element designated with the reference symbol "3" is the "form cylinder", it is not an ink application roller as recited in the claims of the instant application. The difference is also seen in the attached pages of the Polygraphic Dictionary of the Graphic Arts and Communications Technology. Accordingly, it is respectfully noted that the Examiner's allegation that Konrad discloses "an ink form roller ("form cylinder 3,")", is not accurate.

The Examiner alleges that a metering element, which does not oscillate, in the form of the roller (1) of Konrad is present, and that a metering element in the form of the knife (doctor blade arrangement 3) of Dini is present. The Examiner alleges that the knife (3) of Dini oscillates in the same manner as the present invention. The Examiner alleges that it would be obvious to use the device for oscillating the knife (3) of Dini for oscillating the roller (1) of Konrad.

Applicant respectfully disagrees with the Examiner's allegations. More specifically, as seen from the above provide remarks, contrary to the knife (3) of Dini, the roller

(1) of Konrad is not a metering element. Dini discloses that the knife (3) and not the cylinder (12), of Dini, is oscillated. Accordingly, there is no motivation for a person of ordinary skill in the art to provide the roller (1) of Konrad with an oscillation device as disclosed in Dini.

It is a requirement for a *prima facie* case of obviousness, that the prior art references must teach or suggest <u>all</u> the claim limitations.

As seen from the above given remarks, the references do not show or suggest a printing form cylinder, a zone-less inking unit including an ink-metering device having a single metering element operatively engaging with a roller, the roller being one of an ink form roller and a roller operatively engaging with an ink form roller, the roller rolling on the printing form cylinder during a printing operation ... and an oscillation device assigned to said single metering element, as recited in claims 10 and 12 of the instant application.

The references applied by the Examiner do not teach or suggest all the claim limitations. Therefore, it is believed that the Examiner has not produced a prima facie case of obviousness.

Furthermore, a critical step in analyzing the patentability of claims pursuant to 35 U.S.C. § 103 is casting the mind back to the time of invention, to consider the thinking of one of ordinary skill in the art, guided only by the prior art references and the then-accepted wisdom in the field. See In re Dembiczak, 175 F.3d 994, 999, 50 USPQ2d 1614,1617 (Fed. Cir. 1999). Close adherence to this methodology is especially important in cases where the very ease with which the invention can be understood may prompt one "to fall victim to the insidious effect of a hindsight syndrome wherein that which only the invention taught is used against its teacher."

Id. (quoting W.L. Gore & Assocs., Inc. v. Garlock, Inc., 721

F.2d 1540, 1553, 220 USPQ 303, 313 (Fed. Cir. 1983)).

Most if not all inventions arise from a combination of old elements. See In re Rouffet, 149 F.3d 1350, 1357, 47 USPQ2d 1453,1457 (Fed. Cir. 1998). Thus, every element of a claimed invention may often be found in the prior art. See id.

However, identification in the prior art of each individual part claimed is insufficient to defeat patentability of the whole claimed invention. See id. Rather, to establish obviousness based on a combination of the elements disclosed in the prior art, there must be some motivation, suggestion or teaching of the desirability of making the specific combination that was made by the appellant. See In re Dance,

160 F.3d 1339, 1343, 48 USPQ2d 163.5, 1637 (Fed. Cir. 1998); In re Gordon, 733 F.2d 900, 902, 221 USPQ 1125,1127 (Fed. Cir. 1984).

The motivation, suggestion or teaching may come explicitly from statements in the prior art, the knowledge of one of ordinary skill in the art, or, in some cases the nature of the problem to be solved. See Dembiczak, 175 F.3d at 999, 50 USPQ2d at 1617. In addition, the teaching, motivation or suggestion may be implicit from the prior art as a whole, rather than expressly stated in the references. See WMS Gaming, Inc. v. International Game Tech., 184 F.3d 1339, 1355, 51 USPQ2d 1385, 1397 (Fed. Cir. 1999). The test for an implicit showing is what the combined teachings, knowledge of one of ordinary skill in the art, and the nature of the problem to be solved as a whole would have suggested to those of ordinary skill in the art. See In re Keller, 642 F.2d 413, 425, 208 USPQ 871, 881 (CCPA 1981) (and cases cited therein). Whether the Examiner relies on an express or an implicit showing, the Examiner must provide particular findings related thereto. See Dembiczak, 175 F.3d at 999, 50 USPQ2d at 1617. Broad conclusory statements standing alone are not "evidence." When an Examiner relies on general knowledge to negate patentability, that knowledge must be articulated and placed

on the record. <u>See In re Lee</u>, 277 F-3d 1338, 1342-45, 61 USPQ2d 1430, 1433-35 (Fed. Cir. 2002).

Upon evaluation of the Examiner's comments, it is respectfully believed that the evidence adduced by the Examiner is insufficient to establish a <u>prima facie</u> case of obviousness with respect to the claims. Accordingly, the Examiner is requested to withdraw the rejection.

Since claim 10 is believed to be allowable, dependent claims 2, 3, 5, and 7 are believed to be allowable as well.

In item 3 on page 5 of the above-noted Office action, claim 4 has been rejected as being obvious over Konrad (U.S. Patent Application Publication No. 2002/0014171 Al) in view of Dini (U.S. Patent No. 3,964,386) and further in view of Jeschke (U.S. Patent No. 4,089,264) under 35 U.S.C. § 103. Jeschke does not make up for the deficiencies of Konrad and Dini. Since claim 1 is believed to be allowable, dependent claim 4 is believed to be allowable as well.

It is accordingly believed to be clear that none of the references, whether taken alone or in any combination, either show or suggest the features of claims 10 or 12. Claims 10 and 12 are, therefore, believed to be patentable over the art

and since all of the dependent claims are ultimately dependent on claim 10, they are believed to be patentable as well.

In view of the foregoing, reconsideration and allowance of claims 2-5, 7, 10, and 12 are solicited.

In the event the Examiner should still find any of the claims to be unpatentable, counsel respectfully requests a telephone call so that, if possible, patentable language can be worked out.

If an extension of time for this paper is required, petition for extension is herewith made.

Please charge any other fees which might be due with respect to Sections 1.16 and 1.17 to the Deposit Account of Lerner Greenberg Stemer LLP, No. 12-1099.

Respectfully submitted,

For Applicant (s)

Alfred K. Dassler 52,794

AKD: cgm

June 14, 2006

Lerner Greenberg Stemer LLP Post Office Box 2480 Hollywood, FL 33022-2480

Tel: (954) 925-1100 Fax: (954) 925-1101 Heidelberger Druckmaschinen Patentabreilung AND COMMUNICATIONS TECHNOLOGY - Aktiengesellschaft UND KOMMUNIKATIONSTECHNIK POLYGRAPH VERLAG · FRANKFURT AM MAIN POLYGRAPH WÖRTERBUCH FÜR DIE DRUCKINDUSTRIE POLYGRAPH DICTIONARY OF THE GRAPHIC ARTS Deutsch-Englisch Englisch-Deutsch German-English English-German MICHAEL NITSCHE

PACE 16/19 * RCVD AT 6/14/2006 1:01:15 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-6/34 * DNIS:2738300 * CSID:+9549251101 * DURATION (mm-ss):05-24

folding blade - format

folding box gluer Faltschachtelkiebemaschine f folding cylinder Filtetrommel f, Fahrzylinder m iolding lay states registration, Falzanlage f folding blade Falzmusser a, Falzuchwen n folding box glaing Falischachtelklabung f folding Jaw (press folder) Fatzkiappe f folding knife Fairmesser n. Fairschwert n folding boxboard Faitschachteikarton m drum see folding cylinder folding carron Fallschachtel f folding layout Fatzschema g folding box Faluschachtel /

folding) mark Felzkreuz a, Felzmarte f folding plese (press folder) Felzpflug m fold leading fconveyt,) Falz vortus, varne olding resistance Falawiderstand an fold modstering Patzbefeuchtung f olding rollers pr Felzwalzen p! register Falznegister A 'alding sample Falamuster a folding spine Fabrucken as lotd iny court. Fatzaniage f folding stick Fulzbein A folding unit Fatzweck n

folio Kolumnenziffer f, Pagina f, Seitenrahl f, follow pu Paginierung C, Seitennumerierung F fold variations of Pairvariationen of folio edition (book) Folicansgabe f fold perforation Phizperforation / fold-to-print register Faizregister a fold irelling (convert.) Falz hinter softening Falrbeteuchtung fold lightredng Fatzverstärkung toter Kolumnentitel an fello sitre Foliofarmet m

follow cogy (correction instruction) nach folio volume Foliam 🗷

ant (typeset) Font m. Fotosatzrehrift f. Schrift follow-up better (advertising) Nachfaßbrief m follow-up display (process control) followup control (process control)

fant disc (optomechanical phototypesetter) Schriftscheibe f

font mamory (photocomp.) Schnittenspeicher m fasts in direct access (photocomp.) Schriften im feat staings (phatocomp.) Schristenspeicher m taat width (charzeter width) Buchstabenbreite f. Nahrangamitatpackung / fout (of the page; of the letter) Full m footboard (on preses) Lauthlech m. Trithres n, fout selection (phototypesener) Fontanyahi f food prekage Lebenamittelverpackung f, Fullritt as; (camera) Laufboden as foot Uhrazy Schriftenbübliothek / Dickle f. Schriftdickte 🗸 foot lever Futhebel m direkten Zugriff

foot white (make-up of lead comp.) Untersching footnate (callant) raferance Fubnotenreferenz / oredge Vorderkante F. (Book) Vorderschnist m forbid bypheration (2212 proc.) Trennverbot n forced lubrication Druckschmierung f owdge margin Auberer Papierrand m, dullerer foot mergia unterer Papiersand in, unterer foot afkik Fullsteg m foot trim(ming) Fullbeschnik m faat of page Endo der Seite foot press Fudpresse F Sootmate Fudinate / foot rute Fullinie / Sedtenrond m

foreign-tanguege ferprint Fremdspracheneindruck foreground Vordergrand m foreground and beckground sailgament (comp.) foreign language setting Fremdsprachensotz an Vordergrand- und Hintergrundzuweisung foreground and background operation fromp. Vordergrung und Bintergrundbettieb m Seitenrand m, rarderer Papierrand m foreign news pl Auslandsnachrichten pl foredge printing (book) Frontdruck m foreground processing (comp.) foreign system Frenodsystem n

former folder Tischterfalzapparat m former nove (former folder) Trichternase f forme roller Auftragswehre f, Formwalze J former plate (press folder) Falzinichier no former toller (web press) Trichterwahre f

forms troiley Formentsensportwagen m

forms blading Formularheflung f

former superstructure (press folder)

Trichterüberban m

Foreign Types pl (type chassil.) Fremde Schriften form (bosiness form) formular a, Voedruck m formet Formet a, Größe f faremand (book) Geleitwort a, Varwart foremsa (printing) Druckmeister na forgerypool falschungssicher fotklift inck Gebeistapler m lorged real Schmiedestahl m lorgery Falschung ?

forms setting (typogn.) Formulareatz forms settiching Formulatheitung f Tormula Formel ?

fortalghtly (publication) vietzehntäglich

formula sening Formeliate m

Formatveränderung 🥻 Formatwechsel 🗷

formst change Formatänderung £

formal change-over Formatumatellung f

formation of funges (Foonsain solution)

Pitzbildung ? Pizbildung /

formation of mould (fountain solution)

formet adjustment Formoteinstellung 6

237

216

formarding sacker (feeder suction head) faul proof (stalley proof) unkorrigiertes emeheinende Zeitschrift f foundation Fundament or ounding (type) Guß m Korrekturabzug m found v (type) gießen Schleppaauger m

foundry type Beisstrychist f. Handsatzschrift f. Handsutztype f, Schiftguß m fountate solution Feuchimitial a. Wishbwasser a fountain roller Duktorwalze f, Kasterwalze f fountain screw (ink duct) Farbschraube f, foontain key (ink duct) Farbachraube (, fountain additive Feuchtwasserzusatz fount feype) GuB at, Schrift ? Zonenschraube / Zonenschraube (

founts la solution mixer Feuchtwassermischgerat fountain solution cooling Feachtmittelkublung f faundala solution mensuring system Fenchtwasserumwährantage 🗸 fountain solution circulator Feuchimittedmellgeras n

orms positioning device Formeinpaßvorzichtung

erms positioning Formentosises a

ormer (press folder) Falztrichter m, Trichter m

orme rack (lead comp.) Formentegal in

former fold (web printing) Langsfelz m,

iame cyllader Formaylinder m; frotary lettarpress, Berography) Klischeesylinder m forme lating Einfäsben der Druckform

formse bed (Nat-bed press) Druckfundsment a,

(fetterpress forme) Druckstock m

forms assembly Formenmontage f

format VI printing press Druckmaschine im forme (print forme) Form 4, Druckform 5;

Pormas VI

formatting (data) Formalierung f

format starings (comp.) Formatspeicher m

format setting Formateinstellung 🤅

Großeneinstellung /

format range Formatbereich m

formatted data formatiente Daten of formatted text formatienter Text m

arme carrings (letterpress m.) Formkarren m

orme chase Formrahmen m

coupein eater Feachtwasser a, Wischwasser a correction ad(vertisement) Vierfarbanzeige f faur calaur both sides 4/4 furbig, vierfarbiger four colour front, four reverse 4/4 farbig, verfarbiger Schön- und Widerdruch n four colour front, none reserve 4/0 farbig. four colour froat, one reverse 4/1-farbig four-colour balftone print zerasterter fountain mater film (offset piste) Vierbad-Entwicklungsgeråt a Schön- und Widerdruck m vierfarbiges Schändruck zn four-bath processor (reprod.) Feuchtmittelfilm m

four-colour halftone set (separations) four-colour print Vierfarbarnek m lour-colour (printing) press Vierfart(en)druckmaschine I, Vierfarbdruck m Vietfathsalz m 'orma collator. Formularzusammentragmaschine 🌈 omas composition (typesetting) Formularestz m

forms design Formulargestaltung forms press Formulardtuckmaschioe f

orns printer Formulardrucker m

format adjustment - four-colour printwork

our-colour printwork Vierfarbdruck ores set gluing Formularsatzleimung orms production Formularherstellung

orms set Formularistz m

olding mechine Faltmaschine fr sutbarrie -

fold-out (plate) (book) Ausschlagtafel f menitoring Faizkontrolle over vomanicken

AVAILABLE COPY 90

₱91-I 920-N **b11/13**

| ink absorption - ink jet lettering | 232 | . 233 | lak jet printer - ink 200e |
|--|---|--|---|
| ink absorption Wegschlagen der Farbe n.; (paper, fermiene enfenten Ensbaufnehma f | ink dry-up (on rollers, blankeir etc.) Eintrocknen | ink fer pelater inkjedeucker m. | ink-repellent forbabstoßend, forbabweizend |
| ink absorptivity Furboufoshmevermögen a | der Farbe, Farbitocknen n fak duet Farbkassen m | inkenstrablorunker m ick he princing inkjetdruck en, Jintenstrahldruck | ink residues of casolicianistic of ink resistance (paper) Tintenfertigkeit f |
| ink acceptance Farbanahme f | ink duct blade Farbmesser a, Duftentines! a | | lak roller leather Reiterleder n |
| ink againte Ferbulhtweck of Ferbaselihoot m | Int (duct) halfe firstmeases a int duct maybe textures accepts | ink key Zonensthraude 4, Paridschraude 1 ink fless) adheelmens Darbonsonsinstellung f | ink roller watte-up service Farbwalzenwoocheintichtung i |
| falt upplienten Furbauftrag ar | ink duct roller Parbdultor at Parbkastenwaltz | Farbzonenverstellung f. Farbchistellung f. | ink serem (ink duct) Farbschraube f. |
| ink ball Bullen m | ink emulsification (office) Fathemulsion f | Farbugllen n | Zonenschraute ? |
| ink blade see ink duct blade | laker (inting roller) Partwalte f | fak key control Pachregelung /, Farbiteberung / | ink getting wegichlagen tet fatte ir ink ehulloff feftition the meletion elements in |
| ink build-up (or rollex, blankets etc.) | and sectory of densated emission (, raid emissioning) | tak key motion Parbyonenticilung f | the ink fountain) Farbabbau m |
| Farbaufbau m | lak leed control Farbsenchung f. Farbstenerung f | ink key prosetting Fardworeinstellung f | the site Farbspachtel f. Farbsputel m |
| Ink can Farbbüchse f, Farbdose f | lak feed(ing) Farbführung f. Farbgebung f. | ink (kay) mailag Farbzoneneinstellung f. | lak slide (metering element in the ink fountain) |
| talk cells of (presure cyl.) Farbnäpfehen of pl | Farbaufahr / | Farbeingsliung (, Farbatellen a | rarbachieder // |
| has consider caronectaes of the last th | ing the film Parkiller on Farbachickt | ing going (spenny) ratemasses in Interests one easiting Farbmesses afficient f | ink solvent Farbitter m |
| tak-coduction areas of (arbithmenda Stellen Co) | lok film croffle forbing weit Embechichmach? | ink haife bosition Farbracescratchings / | inh specks py Farbinoten py |
| tok consistency Furbkonsistenz f | lak flow (through int train) Farbfluß m | lak talle setting Furbmesterstellung f | ink splashing Farbspritzen o |
| ink consumption Parbreibrauch an; calculation | fak forme roller Farbauftengswatze f | ink lay-down (on print sheet) Farboullage f. | ink spiliting Forbspallung 1 |
| of - Farbverbrauchsberechnung f; | lak formula Farbrezepi o | Farbdeckung / | Ing stability respectabilitis / Tab stone Enchtisch or Ferbanischstein (2) |
| for contains the the hills and contained and the contains the the contains the the hills are the three property and the contains the co | Int Countrie Perbyance In | ink layer rathschicks statementing f | int series (ink vibrator) Farbatreifen m |
| Forbank as | ink fountein for on in bec | ick bereller Farbrivgay-Konstanthefter m. | ink stripe width Farbatreifenbreite |
| lak control Farbkontroffe f, Farbregelang f, | luk fountein rolber Farbduktor m. | Farbniveauegler m | isk supply Farbilibrang & Fatbgebung f. |
| Farbateucrung f | Parthastenwalze f | ink berei system Farbarreau-Konstanthalter m. | Farbversorgung (, Farbzultüft / |
| lak control bar Farbkontrollstraifen m. | ink fountale exparator Farbkastenballer m | Fatbniveauregler # | ink supply system ratoretsotzungsaniage i Ink sakla Kashrisch m |
| | ink gap (between rollers) Farbspalt in | Introducts to United States of | interest Fachtant m |
| Farbmedstreifen an | tok place (Jackes) retugaszat i, retugasze i folkolosa farbalanz m | Jakonkine Farbenkeritellung f | ink temperature Fachtemperatur ? |
| ink control system Farbregeleniage f. | loking Auftragung der Farbe, Farbauftrag in. | ink meaufacture Farbenherstellung f | ink testing derice Farbitstgerdi o |
| Rarbucutraniage / | Farbführung f, Farbgebang f | ink manufacturers of Druckfarbenfabrik f. | ink thinner Fathverdünger m. Farbverlängerer m |
| ink contrage (on print short) Farbdockung i' | mk(ting) ball Druckerballen m, Farbballen m, | Fardenhersteller m | ink tin Farbblehse /, Farbdose / |
| ink deastly Farbdichte / ink deastly control Karbdichteranduse / | Tempon as follows streets described to the contract of the con | isk match(log) Ferdabmusterung /, | ing italin ratowers is ink transfer Farbubertragung C Farbabgabe / |
| Ink density measurement Farbilishemessing / | INCIDE CONTROL (gravers press) FOR DATES SHOW IN | Farbackstelleng f. coordinately f. | fok trapping Fatbannahme f |
| | faithe correction Farbkorrektur / | ink metering (princing press) Farbdosicrung f | isk trough Farbwanne f |
| Fartdichtemed. und -regelanlage / | Joiding Bartestions of Farbschwenkungen of | lak metering cyllader Farddasterzyfinder m | ink und see inking unit |
| ink denothy measuring system | lahing ped Fachkissen # | lak meturing duct Farbdosierkasten m | ink unit control Farbwerkssteuerung |
| Fachdichtemelkanlage ? | foling primer Unterdruckfarbe f | ink matering lever Farbdosierhebel m | ick unit coaling farbwerkskumings |
| Ink desiry value Farbdichieway An | taking profile (inking vasi) Farbschichtgrofil o | ink meterlog spatem Parbdoskersystem n | for the temperature control |
| ink dies (raisess press) Ferbialier m | inking reducion instruction in Intiliant and a Ecohomica Comment | les mist four remains outless Harbacht un | ink and washing darks |
| lak distibution Farbvertollone f. Farbverteibune | Einflichente / | Earheadhrachel m | Farbwerkswascheinrichtung ? |
| , | Johles system Perbucit a | igk mixer Fardmischer m | ink up vaufwelzen; (fetterpress forme) |
| ink distribution roller see ink distributor (softer) | inking and Farbwerk n: (gravure) Einflithwerk n | lak mixing Anmachen der Farbe n. | einschwärzen |
| Los destrouted and recovered a. | luklay-up (ink railer, ink train) Einstriben n; | Farbenmischen z. Ferbmischung | ink wibrebor (<i>roller)</i> Farbhaber in |
| ink dietributer (roller) Ferbrerreiber zu. | (reterptes totals) binwaren n Iskido-on od nehelbo furmo Finflichen der | last paper consultation rather rapiers on bination f | ink mash-up itay Farbwasching m |
| Partneiber m. Farbreibzylinder m. | Druckform | lek production Ferbenherstellung / | ink-mater bulence (offset) |
| Farbverreibewalze f | tok jet addressing ink-let-Adressierung f, | lat pump Farbpumpe ? | Farb-Wasser-Gleichgewicht in |
| Ink drawing Tuschezeichaung / | lak-fet-Beschriftung / | Intersceptive (office) (arbfreundlich | Ink-water epublification (office) |
| Confine Cracklarbentrocknung f. | lok het impelne lak-Jer-Aufdruck m | ink tecipe Farbrezept n | Farb-Wasser-Emulsion / |
| riteractors p | ink het lettering Ink-Jet-Beschriftung / | ink reducer Farhverdünner m | ink zose rardzone / |

BEZI AVAILABLE COPY

BEST AVAILABLE COPY

WSD 129 - PT-90

| 4S-80:(22-mm) NOITARUG ' | : LOL 1926496+: CIS: | 738300 * C | e] * SVR:USPTO-EFXRF-6/34 * DNIS:2 | niT Jayliyed mətse3 PM Ct:10:1 2005/141 | PACE 19/19 * RCVD AT 6 |
|--|---|---|--|---|------------------------|
| | | | | | |
| | | | | | |
| E-160 | _ | | | | |
| | III A | | | | |
| Inhalt | Vorwort zur S. Auflage VI Übersicht über die berücksichtigten Fachbereiche Benutzerhinweise für den deutsch-englischen und englisch-deutschen Teil X Wörterbuch Deutsch-Englisch Wörterbuch Englisch-Deutsch 163 | Contents Desfines to the 6th editions 1977 | An overview of the fields towered IX An overview of the fields towered IX How to use the German-English and the English-German section XI German-English dictionary 1 English-German dictionary 161 | | |
| | - | | · <u>-</u> · · · | · · · · · · · · · · · · · · · · · · · | |
| Pristed in Germany © by Polygraph Vestig GrabH, Frankfari am Main | | Ksproducion – não od extracis – is prohibited ISBN 3-87641-158-0 | Special thanks to Rolf Agte for his many terminological suggestions and contributions as well as to Paul Cellaghan who verified the English-language entries. Many thanks also to all contributing persons and companies for their support and assistance. | | |
| Pinted in Germany © by Pwygraph Verlag GmbH, Frankfurt em Main | Andrage 1989 willig überarbeitet und aktualisiert was Witt-Jug. Michael Nitsche und der Ornedlage der 1976 und davor erschienenen, wan Leanherd Tennel (†) bestreiteten Ausgaben. Nachdruch – nuch auszugsweise – verboten | 15BN 3-87641-158-0 | Beronderer Dank gilt den Mitorbeitern Rolf Agte für zahlreiche terminologische Anregungen und Ergänzungen rowie Prul Calleghan für die gesamtheitliche Prolung des englischen Teils. Gedankt sei auch anderen hier nicht namentlich erwähnten Petronen und Firmen für ihre Unterstützung jedweder Art. | | |
| | | | * | | ·· |

250-U 61/614 P37-T